
# Prestige 1100





(6



ISO 9001 Certified.



This product is based on the ZyNOS Networking Operating System with free firmware upgrades that can be downloaded as they become available.

Specifications are subject to change without notice.

All trademarks are the property of their respective owners.



International:

ZyXEL Communications Corp. Tel: 886-3-5783942 Fax: 886-3-5782439 E-mail: sales@zyxel.com.tw support@zyxel.com.tw Web: http://www.zyxel.com

#### North America: ZyXEL Communications, Inc. Tel: 714-632-0882 Fax: 714-632-0858 E-mail: sales@zyxel.com support@zxyel.com Web: http://www.zyxel.com

Scandinavia: ZyXEL Communications A/S Tel: 45-3955-0700 Fax: 45-3955-0707 E-mail: sales@zyxel.dk support@zyxel.dk Web:http://www.zyxel.dk

#### Germany: ZyXEL Deutschland GmbH. Tel: +49-2405-6909-0 Fax: +49-2405-6909-99 E-mail: sales@zyxel.de support@zyxel.de Web: http://www.zyxel.de

Austria: ZyXEL Communications Services GmbH. Tel: +43-1-4948677-0 Fax: +43-1-4948678 E-mail: sales@zyxel.at support@zyxel.at Web: http://www.zyxel.at

65-100-102001/0300

## Prestige 1100

### WAN Router

Designed specifically for small/medium businesses, ZyXEL's Prestige 1100 is equipped with one WAN port and two LAN ports easily facilitating high-speed Internet access, web hosting and LAN-to-LAN connections.

The synchronous WAN design supports a digital leased line (Fractional T1/E1) connection via DSU/CSU with speeds of up to 2Mbps.

Two separate 10/100Mbps Ethernet ports enable corporate to build an efficient LAN in a secure environment.

Coupled with ZyNOS, ZyXEL's feature-rich, standardbased networking software, the Prestige 1100 is indeed an ideal solution for small and medium businesses.

#### **Features and Specifications**

#### WAN Network Connectivity

- A FlexWAN port with a 68-pin D-type connector.
  - --RS-449/V.35/X.21/EIA 530/RS-232 interface support
  - --Synchronous leased line mode
  - --Interface speed up to 2 Mbps

#### **Internet Access**

- Point-to-Point Protocol (PPP)
- Single User Account (SUA)/Network Address Translation (NAT) enables multiple workstations on the LAN to access the Internet for the cost of a single ISP account
- The most comprehensive NAT support for multimedia applications, including NetMeeting, CuSeeMe, ICQ, etc

#### **Network Protocols**

- IP and IPX multi-protocol routing
- · Transparent bridging
- IP, RIP-1 and RIP-2 support
- IP multicast
- IP policy routing

#### **Network Management and Control**

- FTP firmware upgrade and configuration backup and restore
- Remote site dial-in management
- · Menu-driven interface for advanced configuration
- · Integtated SNMP support for remote network management
- · Built-in diagnostic and remote support tools

#### **Robust Security Features**

- · Packet Filtering for controlled access to and from your LAN
- · Password Protected System Management Terminal
- PAP (Password Authentication Protocol)
- CHAP (Challenge Handshake Authentication Protocol)
- Microsoft CHAP

#### **Physical Interfaces**

- Two auto-sensing 10/100M Ethernet ports
- One 68-pin D-type port
- One RS-232 console port for local configuration and management
- Built-in power adaptor: 10V to 240V, 50 to 60 HzPower Input

#### **Hardware Capabilities**

- RISC CPU at 50 MHZ
- · 8 MB flash ROM and Dual Flash Bank support

### • 16 MB SDRAM

- **Operation Environment**
- Temperature: 0~50<sup>0</sup>C
- Humidity: 20%~95%

#### Storage Environment

- Temperature: -30~60<sup>0</sup>C
- Humidity: 20%~95%

#### Warranty

• 2 years

